

Test Bank for Genetics From Genes to Genomes 7th Goldberg

TEST BANK SAMPLE PREVIEW

PUBLISHER

McGraw-Hill

COPYRIGHT

2021

RESOURCE TYPE

Test Bank

ISBN

9781260240870

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

ANSWERS ARE LOCATED IN THE SECOND PART OF THIS DOCUMENT

MULTIPLE CHOICE - Choose the one alternative that best completes the statement or answers the question.

1) Why did Mendel perform reciprocal crosses?

1) _____

- A) To obtain enough plants to perform the experiments that Mendel wanted.
- B) To test a hypothesis that stated the ovum carries all the information for progeny.
- C) To be able to breed plants year round.
- D) To determine whether the inheritance of a trait depends on which parent carries the trait.

Question Details

Bloom's : 2. Understand

Topic : Background and The Puzzle of Inheritance

Section : 1.01

Learning Objective : 01.01.03 Explain the importance of Mendel's inclusion of reciprocal crosses with

Accessibility : Keyboard Navigation

Gradable : automatic

2) What is the difference between cross- and self-fertilization?

2) _____

- A) In cross-fertilization, the pollen from one plant is used to fertilize the egg from the same plant.
- B) In cross-fertilization, the pollen from one plant is used to fertilize the egg of another plant.
- C) In self-fertilization, the pollen from one plant is used to fertilize the egg from another plant.
- D) In cross-fertilization, insects are used to pollinate the plants, whereas in self-fertilization, the investigator pollinates the plants.

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Bloom's : 2. Understand

Topic : Background and The Puzzle of Inheritance

Section : 1.01

Accessibility : Keyboard Navigation

Gradable : automatic

Learning Objective : 01.01.02 Describe how Mendel cross-fertilized and self-fertilized pea plants.

3) What is the outcome of crossing two pure-breeding plants with antagonistic characters of traits?

3) _____

- A) Only one of the characteristics will be seen in the progeny.
- B) Both characteristics will be seen in the progeny.
- C) Both characteristics will be seen in the progeny in a 3:1 ratio.
- D) Only one characteristic will be seen, and it will be that of the female.

Question Details

Bloom's : 2. Understand

Topic : Background and The Puzzle of Inheritance

Section : 1.01

Accessibility : Keyboard Navigation

Gradable : automatic

Learning Objective : 01.01.04 Predict the type of progeny produced by Mendel's crosses between pure-b

4) According to Mendel's law of independent assortment,

4) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

A) alleles of genes assort into gametes grouped according to how they were inherited originally.

B) dominant alleles for one gene must assort into the same gamete as the dominant alleles for another gene.

C) alleles of genes on different chromosomes assort randomly into different gametes.

D) dominant alleles for one gene must assort into the same gamete as the recessive alleles for another gene.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

5) An $S^1S^2 \times S^1S^2$ mating is performed. If the phenotypic ratio of the progeny is 3:1, then

5) _____

A) one allele is dominant and the other is recessive.

B) neither allele is dominant.

C) the S^1 allele is dominant to the S^2 allele.

D) the S^2 allele is dominant to the S^1 allele.

E) the relationship between the alleles cannot be determined.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 4. Analyze

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominan

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

6) Which of the following probabilities is correct (according to Mendel's law of independent assortment) regarding a mating of an $Ss RR$ individual to an individual who is $Ss Rr$? (A – indicates the second allele is either dominant or recessive.)

6) _____

- A) Homozygous recessive: 10%
- B) Heterozygous both alleles: 50%
- C) $ss R-$: 15.5%
- D) $S- RR$: 37.5%

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic


Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 3. Apply

Learning Objective : 01.02.05 Predict the genotypic and phenotypic ratios among progeny of complex mu

7)



What does the pattern of inheritance in this pedigree indicate about the rare disease allele?

7) _____

- A) The disease allele is dominant.
- B) The disease allele is recessive.
- C) There is no indication that the disease allele is either dominant or recessive.
- D) The disease allele is not inherited but arises only by a new mutation in affected individuals.

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

8) The mutant alleles of the *CF* gene that result in cystic fibrosis are recessive to normal alleles because

8) _____

A) the protein produced by the normal allele in heterozygotes is sufficient for normal cellular function.

B) the *CF* mutations that cause cystic fibrosis always result in no protein being produced.

C) *CF* mutations result in a protein that has normal function only if normal CFTR protein also exists in the cell.

D) dominant alleles that cause a fatal disorder, such as cystic fibrosis, cannot be inherited.

Question Details

Bloom's : 2. Understand

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Mendelian Inheritance in Humans

Section : 1.03

Learning Objective : 01.02.06 Cite the most common molecular explanations for dominant and recessive

9) The reason that the *HD* allele that causes Huntington disease is dominant to *HD*⁺ alleles is that

9) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) the normal *HD* allele does not normally produce a protein but the mutant *HD* allele does.
- B) the mutant *HD* allele suppresses protein production from the normal *HD* allele.
- C) the *HD* mutation results in a protein that can damage nerve cells even in the presence of the normal protein.
- D) the protein produced from the mutant *HD* allele is nonfunctional.

Question Details

Bloom's : 2. Understand

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Mendelian Inheritance in Humans

Section : 1.03

Learning Objective : 01.03.02 Explain why Huntington disease is inherited as a dominant allele while

10) If an individual is heterozygous for only 7 of his gene pairs (he is homozygous for all of his other genes), how many different gamete types can he produce?

10) _____

- A) 49
- B) 100
- C) 128
- D) 1024
- E) 131,072

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 4. Analyze

Learning Objective : 01.02.05 Predict the genotypic and phenotypic ratios among progeny of complex mu

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

11) In some genetically engineered corn plants, a *Bt* gene was inserted into a chromosome. The *Bt* gene specifies a protein called Bt that is lethal to certain flying insect pests that eat the corn plants. If the corn plant is heterozygous for the *Bt* gene (one homolog has the introduced *Bt* gene and the other does not), what proportion of the sperm would carry the *Bt* gene? Is the presence of the *Bt* gene (a mutation) dominant or recessive to its absence (the wild type)?

11) _____

- A) all pollen; dominant
- B) 1/2; dominant
- C) 1/3; recessive
- D) 1/4; dominant
- E) 1/8; recessive

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

Bloom's : 3. Apply

12) Suppose that in plants, smooth seeds (*S*) is dominant to wrinkled seeds (*s*), and tall plants (*T*) is dominant to short plants (*t*). An F_1 plant from a mating between homozygous plants that were tall/smooth and short/wrinkled was crossed to the short/wrinkled parent. What proportion of the progeny are expected (according to the Mendel's law of independent assortment) to be homozygous for short and wrinkled alleles?

12) _____

- A) 1/2
- B) 1/4
- C) 1/8
- D) 1/16
- E) 0

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 4. Analyze

13) Sickle-cell disease is a recessive trait in humans. In a cross between a father who has sickle-cell disease and a mother who is heterozygous for the sickle-cell allele, what is the probability that all of their first three children will be unaffected?

13) _____

- A) 1/4
- B) 1/2
- C) none
- D) 1/8
- E) 1/16

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.05 Predict the genotypic and phenotypic ratios among progeny of complex mu

Bloom's : 5. Evaluate

14) Starting with the parental cross $AA \times aa$, what proportion of the F_2 offspring is expected to be homozygous?

14) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) 1/4
- B) 1/2
- C) 3/4
- D) All are homozygotes.
- E) None are homozygotes.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 4. Analyze

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

15) Starting with the parental cross $AA\ bb \times aa\ BB$, what proportion of the F_2 offspring is expected to be homozygous at least one of the two genes?

15) _____

- A) 1/4
- B) 1/2
- C) 3/4
- D) All are homozygotes.
- E) None are homozygotes.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phenotypic ratio is predicted

Bloom's : 4. Analyze

16) In the testcross $Aa\ Bb \times aa\ bb$, what proportion of individuals are expected (according to Mendel's law of independent assortment) to be homozygous for both genes in the F_1 generation?

16) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) 1/4
- B) 1/2
- C) 3/4
- D) All are homozygotes.
- E) None are homozygotes.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 4. Analyze

17) Among the crosses shown below, which will produce a 1:1 phenotypic ratio according to Mendel's law of independent assortment?

17) _____

- A) $AA\ BB \times aa\ bb$
- B) $Aa\ Bb \times Aa\ Bb$
- C) $Aa\ Bb \times aa\ bb$
- D) $Aa\ BB \times aa\ BB$
- E) $AA\ bb \times aa\ BB$

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 4. Analyze

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

18) Assume that in guinea pigs, dark brown fur (B) is dominant to black fur (b). If you mate a homozygous black guinea pig with a heterozygous brown guinea pig, what proportion of the progeny will be black?

18) _____

- A) 1/4
- B) 1/2
- C) 3/4
- D) All of these choices are correct.
- E) None of these choices are correct.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 3. Apply

Learning Objective : 01.02.02 Distinguish between a monohybrid cross and a testcross.

19) Assume that in guinea pigs, dark brown fur (B) is dominant to black fur (b). If you mate a black guinea pig with a homozygous brown guinea pig, what proportion of the progeny will be homozygous for alleles of the B gene?

19) _____

- A) 1/4
- B) 1/2
- C) 3/4
- D) All of these choices are correct.
- E) None of these choices are correct.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 3. Apply

Learning Objective : 01.02.02 Distinguish between a monohybrid cross and a testcross.

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

20) An allele that expresses its phenotype even when heterozygous with a recessive allele is called

20) _____

- A) recessive.
- B) recombinant.
- C) dominant.
- D) parental.
- E) independent.

Question Details

Bloom's : 2. Understand

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

21) The diploid cell formed by the fertilization of the egg by the sperm during sexual reproduction is a

21) _____

- A) reciprocal.
- B) zygote.
- C) dihybrid.
- D) gamete.
- E) monohybrid.

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Section : 1.01

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

22) The alleles present in an individual make up the individual's

22) _____

- A) recombinant types.
- B) recessiveness.
- C) dominance.
- D) phenotype.
- E) genotype.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.02 Distinguish between a monohybrid cross and a testcross.

23) The first offspring from the parents are called

23) _____

- A) P.
- B) F₁.
- C) F₂.
- D) a testcross.
- E) P₂.

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

24) What type of cross is performed to determine the genotype of an individual with the dominant character of a trait?

24) _____

- A) A testcross
- B) A dihybrid cross
- C) A monohybrid cross
- D) A genotyping cross
- E) A controlled cross

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.02 Distinguish between a monohybrid cross and a testcross.

25) If the parents of a family already have two boys, what is the probability that the next two offspring will both be girls?

25) _____

- A) 1
- B) 1/2
- C) 1/3
- D) 1/4
- E) 1/8

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 4. Analyze

Learning Objective : 01.02.05 Predict the genotypic and phenotypic ratios among progeny of complex mu

26) Suppose that in plants, smooth seeds (S) is dominant to wrinkled seeds (s) and tall plants (T) is dominant to short plants (t). A dihybrid tall plant with smooth seeds was crossed to a short plant with wrinkled seeds. According to Mendel's law of independent assortment, what proportion of the progeny is expected to be tall and smooth?

26) _____

- A) $1/2$
- B) $1/4$
- C) $1/8$
- D) $1/16$
- E) 0

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 4. Analyze

27) A rare recessive characteristic in a pedigree is indicated by which pattern of inheritance?

27) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) Vertical
- B) Horizontal
- C) Diagonal
- D) Both vertical and horizontal
- E) Pure-breeding

Question Details

Bloom's : 2. Understand

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

28) The dominant Huntington disease allele causes severe neural/brain damage at approximately age 40. A female whose mother has Huntington disease wants to have a child with a male whose parents are normal. It is not known if the female has the disease. Keeping in mind that the disease allele is rare in the population, what is the probability that their firstborn will inherit the allele that causes Huntington disease?

28) _____

- A) 25%
- B) 50%
- C) 75%
- D) 100%
- E) 0%

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Section : 1.03

Learning Objective : 01.03.02 Explain why Huntington disease is inherited as a dominant allele while

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

29) Starting with the parental cross $AA \times aa$, what proportion of the F_2 offspring is expected to be heterozygous?

29) _____

- A) 1/4
- B) 1/2
- C) 3/4
- D) All are heterozygotes.
- E) None are heterozygotes.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 4. Analyze

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

30) Starting with the parental cross $AA\ BB \times aa\ bb$, what proportion of the F_2 offspring is expected to be heterozygous for both gene pairs?

30) _____

- A) 1/4
- B) 1/2
- C) 3/4
- D) All are heterozygotes.
- E) None are heterozygotes.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phenotypic ratio is predicted

Bloom's : 4. Analyze

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

31) What proportion of the F_1 offspring resulting from the cross $Aa Bb \times aa bb$ is expected to be heterozygous for both gene pairs?

31) _____

- A) 1/4
- B) 1/2
- C) 3/4
- D) All are heterozygotes.
- E) None are heterozygotes.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 4. Analyze

32) Among the crosses shown below, which will produce offspring with a 1:1:1:1 genotypic ratio?

32) _____

- A) $AA BB \times aa bb$
- B) $Aa Bb \times Aa Bb$
- C) $Aa Bb \times aa bb$
- D) $Aa BB \times aa BB$
- E) $AA bb \times aa BB$

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Bloom's : 4. Analyze

Learning Objective : 01.02.04 Interpret phenotypic ratios of progeny to infer how particular traits a

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

33) What is the term for crosses between parents that are heterozygous at a single locus?

33) _____

- A) Testcrosses
- B) Cross fertilize
- C) Monohybrid crosses
- D) Dihybrid crosses
- E) Reciprocal crosses

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.02 Distinguish between a monohybrid cross and a testcross.

34) A particular form of a single gene is known as

34) _____

- A) a parental.
- B) a dihybrid.
- C) a reciprocal.
- D) an allele.
- E) a recessive.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.01 Explain Mendel's law of segregation and how it predicts the 3:1 dominant

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

35) A phenotype reflecting a new combination of alleles occurring during gamete formation is called

35) _____

- A) a recombinant type.
- B) an independent assortment.
- C) heterozygous.
- D) homozygous.
- E) a multihybrid cross.

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

36) How was the approach taken by Mendel similar to the approaches taken by modern scientific inquiry?

36) _____

- A) Mendel repeated his experiments.
- B) Mendel examined both continuous and discrete traits.
- C) Mendel used the same technical methods that are used today.
- D) Mendel's experiments challenged no hypotheses that were favored at the time.

Question Details

Topic : Background and The Puzzle of Inheritance

Section : 1.01

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Learning Objective : 01.01.01 Relate how Mendel's experimental approach is similar to the process of

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

37) Pea shape is controlled by a gene that specifies an enzyme known as Sbe1 (for Starch-branching enzyme 1). Two alleles of *Sbe 1* exist, where one allele is dominant and the other is recessive. The recessive allele most likely specifies

37) _____

- A) an Sbe1 enzyme with reduced function.
- B) an Sbe1 enzyme with a new function.
- C) a different type of enzyme.
- D) an Sbe1 enzyme with enhanced catalytic activity.

Question Details

Bloom's : 2. Understand

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.06 Cite the most common molecular explanations for dominant and recessive

38) The normal allele of the pea color gene specifies the enzyme Sgr, which functions in a pathway to break down chlorophyll during pea maturation, resulting in yellow mature peas. A second allele of the *Sgr* gene produces no enzyme and is _____ to the normal allele.

38) _____

- A) dominant
- B) recessive
- C) wild-type
- D) functioning

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Bloom's : 2. Understand

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.06 Cite the most common molecular explanations for dominant and recessive

39) Mendel's law of independent assortment dictates that an $Aa Bb$ dihybrid would make equal numbers of four gamete types. What are these four gamete types?

39) _____

- A) $A; a; B; b$
- B) $AA; BB; aa; bb$
- C) $A B; A b; a B; a b$
- D) $AA BB; AA bb; Aa Bb; aa BB$

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 3. Apply

40) According to Mendel's law of equal segregation, an Aa monohybrid makes two types of gametes with equal frequency. These two gamete types are:

40) _____

- A) AA and aa .
- B) A and a .
- C) Aa and aa .
- D) AA and Aa .

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02


Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 3. Apply

SECTION BREAK. Answer all the part questions.

41) For each of the following pedigree symbols, select the correct meaning.

Question Details



41.1)

41.1) _____

- A) Unaffected male
- B) Unaffected female
- C) Mating
- D) Affected male
- E) Affected female

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03



41.2)

41.2) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) Unaffected male
- B) Unaffected female
- C) Mating
- D) Affected male
- E) Affected female

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

41.3)



41.3) _____

- A) Unaffected male
- B) Unaffected female
- C) Mating
- D) Affected male
- E) Affected female

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 1. Remember

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

41.4)



41.4) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) Unaffected male
- B) Unaffected female
- C) Mating
- D) Affected male
- E) Affected female

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic


Bloom's : 1. Remember

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

42) A pedigree for a common human characteristic (not a disease) controlled by a single gene is shown. Shaded symbols indicate individuals exhibiting the characteristic.



Question Details

42.1) Identify the most likely mode of inheritance of the trait.

42.1) _____

- A) Dominant
- B) Recessive
- C) Either dominant or recessive
- D) Cannot be determined

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

42.2) If individuals 4 and 7 have a child, what is the probability that the child will exhibit the characteristic?

42.2) _____

- A) 1/4
- B) 1/2
- C) 1/6
- D) 2/3
- E) 0

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic


Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

43) Below is a pedigree of a rare human genetic disease. The filled in symbols indicate affected individuals. Assume that the disease is caused by a mutant allele of gene A.



Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

43.1) Based on this pedigree, what is the most likely mode of inheritance?

43.1) _____

- A) Dominant
- B) Recessive
- C) Either dominant or recessive
- D) Cannot be determined

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

43.2) What is/are the possible genotype(s) of person 1?

43.2) _____

- A) *AA*
- B) *Aa*
- C) Either *AA* or *Aa*
- D) *aa*
- E) Cannot be determined

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

43.3) What is/are the possible genotype(s) of person 2?

43.3) _____

- A) *AA*
- B) *Aa*
- C) Either *AA* or *Aa*
- D) *aa*
- E) Cannot be determined

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

43.4) What is/are the possible genotype(s) of person 3?

43.4) _____

- A) *AA*
- B) *Aa*
- C) Either *AA* or *Aa*
- D) *aa*
- E) Cannot be determined

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

43.5) What is/are the possible genotype(s) of person 4?

43.5) _____

- A) *AA*
- B) *Aa*
- C) Either *AA* or *Aa*
- D) *aa*
- E) Cannot be determined

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

43.6) If individuals 1 and 4 have a child together, what is the probability that the child will exhibit the disease?

43.6) _____

- A) 0%
- B) 25%
- C) 50%
- D) 75%
- E) 100%

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

43.7) If individuals 2 and 3 have a child together, what is the probability that the child will exhibit the disease?

43.7) _____

- A) 0%
- B) 25%
- C) 50%
- D) 75%
- E) 100%

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Bloom's : 4. Analyze

Topic : Mendelian Inheritance in Humans

Learning Objective : 01.03.01 Analyze human pedigrees to determine whether a genetic disease exhibits

Section : 1.03

44) In corn, having ligules (*L*) is dominant to liguleless (*l*), and green leaves (*G*) is dominant to white leaves (*g*).

Question Details

44.1) If a testcross is performed with a dihybrid plant with ligules and green leaves, what proportion of the progeny would be green and liguleless?

44.1) _____

- A) 1/16
- B) 1/8
- C) 1/4
- D) 1/2
- E) Cannot be determined

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 3. Apply

44.2) If a pure-breeding liguleless plant with green leaves is crossed to pure-breeding plant with ligules and white leaves, predict the proportion of F₂ progeny with the genotype *Ll gg*.

44.2) _____

- A) 1/16
- B) 1/8
- C) 1/4
- D) 1/2
- E) Cannot be determined

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 3. Apply

44.3) If a pure-breeding plant that is liguleless and has green leaves is crossed to a pure-breeding plant with white leaves and ligules, predict the genotypes and phenotypes of the F₁.

44.3) _____

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

- A) *LL GG*, green and ligules
- B) *Ll GG*, green and ligules
- C) *Ll Gg*, green and ligules
- D) *ll gg*, white and liguleless
- E) *Ll gg*, green and liguleless

Question Details

Accessibility : Keyboard Navigation

Gradable : automatic

Topic : Genetic Analysis According to Mendel

Section : 1.02

Learning Objective : 01.02.03 Explain Mendel's law of independent assortment and how the 9:3:3:1 phen

Bloom's : 3. Apply

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

Answer Key

Test name: CH01

- 1) D
- 2) B
- 3) A
- 4) C
- 5) A
- 6) D
- 7) B
- 8) A
- 9) C
- 10) C
- 11) B
- 12) B
- 13) D
- 14) B
- 15) C
- 16) A
- 17) D
- 18) B
- 19) E
- 20) C
- 21) B
- 22) E
- 23) B
- 24) A
- 25) D

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

26) B

27) B

28) A

29) B

30) A

31) A

32) C

33) C

34) D

35) A

36) A

37) A

38) B

39) C

40) B

41) Section Break

41.1) A

41.2) C

41.3) B

41.4) D

42) Section Break

42.1) B

42.2) C

43) Section Break

43.1) A

43.2) D

43.3) D

43.4) D

43.5) B

43.6) C

Genetics From Genes to Genomes 7th Edition by Goldberg

CH01

43.7) A

44) Section Break

44.1) C

44.2) B

44.3) C