

Solutions Manual for Electrical Wiring Industrial 7th Herman

SOLUTIONS MANUAL SAMPLE PREVIEW

PUBLISHER

Cengage

COPYRIGHT

2022

ISBN

9780176929787

RESOURCE TYPE

Solutions Manual

UNIT 1 Contract Documents and Drawings

REVIEW

Students were asked to write all answers in complete sentences, show calculations in detail, and cite *Code* references when appropriate.

1. List the drawings that are normally included in an electrical drawing set.

Legend of symbols, site plan, lighting and power electrical floor plans, power riser diagram, elevations, details, sections, schedules, shop drawings. See **The Drawing Set**.

2. List the steps to be followed when working with a set of drawings.

- Check that the drawing set is complete.
- Review the floor plans and elevations to get a mental picture of the size and shape of the building.
- Orient the building to the site using the plot plan. Be sure that you know which sides are north, south, east, and west. Add this information to your floor plans.
- Verify the scale of all drawings.
- Identify the types of construction materials (combustible or non-combustible) and components shown in the drawings. Nonstandard items should be shown in a legend of symbols.
- Read all notes on the drawings carefully.
- Relate details to larger views.
- Note multiple or identical drawings. *Typical* means uniform throughout the building.
- Coordinate the electrical layout and installation with other trades.

See **Units | Working with the Drawings**.

3. Measure the length of each line using the metric scale indicated. (Use these numbers as approximations. Variations occur during the printing process and the lines will vary in length between one printing run and the next.)

- | | |
|----------|---------------|
| a. 1:20 | <u>1.8 m</u> |
| b. 1:50 | <u>4.0 m</u> |
| c. 1:100 | <u>8.9 m</u> |
| d. 1:75 | <u>4.7 m</u> |
| e. 1:25 | <u>2.2 m</u> |
| f. 1:125 | <u>11.0 m</u> |
| g. 1:100 | <u>7.7 m</u> |
| h. 1:20 | <u>1.8 m</u> |
| i. 1:50 | <u>4.4 m</u> |
| j. 1:100 | <u>7.5 m</u> |

See **Units**.

4. Measure the length of each line using the architectural scale indicated. (*Use these numbers as approximations. Variations occur during the printing process and the lines will vary in length between one printing run and the next.*)

a. 1/8 in. = 1 ft	<u>21' 14"</u>
b. 1/4 in. = 1 ft	<u>13' 4"</u>
c. 1/2 in. = 1 ft	<u>8' 0"</u>
d. 1-1/2 in. = 1 ft	<u>2' 1"</u>
e. 3/8 in. = 1 ft	<u>10' 0"</u>
f. 3/4 in. = 1 ft	<u>5' 4"</u>
g. 1/4 in. = 1 ft	<u>13' 3"</u>
h. 1/8 in. = 1 ft	<u>30' 4"</u>
i. 1/4 in. = 1 ft	<u>13' 9"</u>
j. 3/8 in. = 1 ft	<u>10' 9"</u>




See Units.

5. Identify the construction event during which the following electrical activities should take place.

- Trenching and underground work = Site preparation
- Feeders = Building enclosure
- Finishing = Floor finishing
- Panelboards = Interior walls, partitions, and ceilings
- Branch circuits and pulling wire = Interior walls, partitions, and ceilings
- Embedded work = Footings and foundations, superstructure and floors

See Table 1-3.

6. Draw the symbol for each of the following items found on a site plan.

- Existing contour lines 240
- Finished contour lines Final contour or proposed contour 104
- Benchmark  BM-1-680.0 Benchmark —
Number — Elevation  BM EL. 680.0
- Gas line  G Gas main (size)  4" G
- Fence line  FENCE
x—x—x—x Fence (or required construction fence)
- Property line  PRL Property line

See Figure 1-2.

7. Give the measurement indicated by each dimension in the diagram below.




FIGURE 1-3 Reading tape measure divisions.

They are $1/2"$, $1-1/4"$, $2-3/16"$, $3-1/8"$, $4-11/32"$, $5-13/16"$. See Figure 1-3.

8. Determine the following using the blueprint drawings supplied with this textbook.
(Use these numbers as approximations. Variations occur during the printing process and the lines will vary in length between one printing run and the next.)

a. What is the distance (in metres) from the south lot line to the southeast corner of the building?

The distance from the south lot line to the southeast corner of the building is $85 \times 500 = 42\,500\text{ mm} = 42.5\text{ m}$. See Drawing A1 or E2.

b. Where is the new electrical room to be located?

The new electrical room is located at column lines A15 to B14. See Drawing E4.

c. What are the kVA and voltage ratings of the new transformers supplying power to this building?

The kVA and voltage ratings of the two new transformers used to supply this building are 1000 kVA and 27 600V-347/600V. See Drawing E2 or E6.

d. Where is the chiller to be located?

There are two chillers located in the chiller room. See Drawing E4 or M1.

e. Where is lighting panel "D" to be located?

Lighting panel D is between column lines A12 and A13. See Drawing E4.

f. What is the voltage and ampere rating of power panel 102?

The voltage and current rating of PP102 is 120/208V 225A main busses and 200A main breaker. See **Electrical Specifications: PP-102 Panel Schedule**.

9. Perform the following conversions using the conversion factors in Figure 1-4.

- a. **12.5 mm to inches** = $\frac{12.5}{25.4} = 0.492''$
- b. **25.4 mm to inches** = $\frac{25.4}{25.4} = 1''$
- c. **500 mm to inches** = $\frac{500}{25.4} = 19.69''$
- d. **6000 mm to inches** = $\frac{6000}{25.4} = 236.22''$
- e. **3412 mm to feet** = $\frac{3412}{304.8} = 11.19'$
- f. **0.025 mm to feet** = $\frac{0.025}{304.8} = 8.2 \times 10^{-5}'$
- g. **1/8 in. to millimetres** = $\frac{1}{8} \times 25.4 = 3.175 \text{ mm}$
- h. **1/4 in. to millimetres** = $\frac{1}{4} \times 25.4 = 6.35 \text{ mm}$
- i. **1/2 in. to millimetres** = $\frac{1}{2} \times 25.4 = 12.7 \text{ mm}$
- j. **9/64 in. to millimetres** = $\frac{9}{64} \times 25.4 = 3.57 \text{ mm}$

10. Which drawings reflect the physical location of materials and equipment where they were installed?

- a. Shop drawings
- b. As-built drawings
- c. Architectural drawings
- d. Sectional drawings

See **The Drawing Set | As-Built Drawings**.